

	Hits	L #	Search Text	Type	DBs
1	17206	L1	character adj2 recognition	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
2	26606	L2	immediat\$3 and processing	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
3	2554	L3	1 and 2	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
4	1444	L4	345/173.ccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
5	328	L5	345/174.ccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
6	1670	L6	4 or 5	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Document ID	1	Issue Date	Pages	Title	Current OR	Current XRef
1	US 4477797 A	<input type="checkbox"/>	19841016	27	Data input device for electronic device	341/5	345/173; 368/10; 382/187; 382/312; 968/899; 968/DIG.1

	Document ID	1	Issue Date	Pages	Title	Current OR	Current XRef
1	US 5805147 A	<input type="checkbox"/>	19980908	31	Coordinate input apparatus with correction of detected signal level shift	345/173	178/18.04; 178/19.02; 345/177; 345/179
2	US 5404458 A	<input type="checkbox"/>	19950404	19	Recognizing the cessation of motion of a pointing device on a display by comparing a group of signals to an anchor point	710/73	345/173
3	US 4644352 A	<input type="checkbox"/>	19870217	27	Radio wave data transmission watch device	340/7.21	340/10.6; 340/825.56 ; 340/825.69 ; 345/173; 455/100; 455/115; 968/896; 968/DIG.1

	Hits	L #	Search Text	Type	DBs
1	17206	L1	character adj2 recognition	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
2	26606	L2	immediat\$3 and processing	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
3	2554	L3	1 and 2	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
4	1444	L4	345/173.ccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
5	328	L5	345/174.ccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
6	1670	L6	4 or 5	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
7	43	L7	3 and 6	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
8	78355	L8	timer and count\$4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
9	1	L9	7 and 8	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB

	Hits	L #	Search Text	Type	DBs
10	675	L10	stroke adj input	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
11	3	L11	8 and 10 and 4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
1	17206	L1	character adj2 recognition	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
2	26606	L2	immediat\$3 and processing	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
3	2554	L3	1 and 2	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
4	1444	L4	345/173.ccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
5	328	L5	345/174.ccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
6	1670	L6	4 or 5	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
7	43	L7	3 and 6	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
8	78355	L8	timer and count\$4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
9	1	L9	7 and 8	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
10	675	L10	stroke adj input	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
11	3	L11	8 and 10 and 4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
12	1056	L12	stroke near input	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB

	Hits	L #	Search Text	Type	DBs
13	55	L13	3 and 12	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
14	5	L14	8 and 13	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
15	114	L15	"touch screen data"	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
16	6408	L16	stored near processed	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
17	7	L17	15 and 16	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
18	0	L18	12 and 15	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
7	43	L7	3 and 6	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
8	78355	L8	timer and count\$4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
9	1	L9	7 and 8	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB

	Hits	L #	Search Text	Type	DBs
10	675	L10	stroke adj input	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
11	3	L11	8 and 10 and 4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
12	1056	L12	stroke near input	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
13	55	L13	3 and 12	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
14	5	L14	8 and 13	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
15	114	L15	"touch screen data"	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
16	6408	L16	stored near processed	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
17	7	L17	15 and 16	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
18	0	L18	12 and 15	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
19	15335 1	L19	data adj2 storage	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
20	60845	L20	data adj2 recorded	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
21	40	L21	(19 or 20) and 15	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

09/447,080

	Hits	L #	Search Text	Type	DBs
1	2	L1	5404458.pn.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
2	3817	L2	touch adj2 pad	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
3	13684	L3	touch adj2 panel	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB

	Hits	L #	Search Text	Type	DBs
4	12733	L4	touch adj2 screen	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
5	10592 0	L5	poll\$4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
6	78355	L6	timer and count\$4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
7	10720 7	L7	5 or 6 and (2 or 3 or 4)	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
8	17206	L8	character adj2 recognition	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
9	647	L9	text adj2 recognition	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
10	17611	L10	8 or 9	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
11	13162	L11	character adj code	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB
12	494	L12	7 and 10	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB

	Hits	L #	Search Text	Type	DBs
13	27	L13	11 and 12	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
14	25552	L14	3 or 4	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
15	11064 48	L15	count\$3 or timer	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
16	345	L16	8 and 15 and 14	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB-
17	1670	L17	(345/173-174).cccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB-
18	1444	L18	345/173.cccls.	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM_ TDB-

	Hits	L #	Search Text	Type	DBs
19	21	L19	16 and 17	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
20	25602	L20	threshold and timer	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB
21	58	L21	18 and 20	BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

	Hits	L #	Search Text	Type	DBs
22	34	L22 6 and 21		BRS	USPA T; US-P GPUB ; EPO; JPO; DERW ENT; IBM- TDB

pg 447,080.

	Document ID	1	Issue Date	Pages	Title	Current OR	Current XRef
1	US 20020138520 A1	<input type="checkbox"/>	20020926	23	SYSTEM AND METHODS FOR PUBLISHING AND DISTRIBUTING AN ELECTRONIC BOOK	707/517	
2	US 20020091850 A1	<input type="checkbox"/>	20020711	82	System and method for remote monitoring and operation of personal computers	709/231	709/224; 709/246
3	US 20020080179 A1	<input type="checkbox"/>	20020627	43	Data transfer method and data transfer device	345/769	
4	US 20020059265 A1	<input type="checkbox"/>	20020516	15	Method and apparatus for rendering electronic documents	707/100	
5	US 6460155 B1	<input type="checkbox"/>	20021001	122	Information reproducing system capable of manually reading an optically readable code and repeatedly reproducing voice information included in the code	714/752	369/14
6	US RE37652 E	<input type="checkbox"/>	20020409	21	Portable data storage and editing device	710/65	708/142; 710/52
7	US 6339754 B1	<input type="checkbox"/>	20020115	22	System for automated translation of speech	704/2	704/8; 707/536
8	US 6292769 B1	<input type="checkbox"/>	20010918	23	System for automated translation of speech	704/3	704/277
9	US 6249359 B1	<input type="checkbox"/>	20010619	27	Information input device	358/473	358/404; 358/442; 358/444

	Document ID	1	Issue Date	Pages	Title	Current OR	Current XRef
10	US 6062481 A	<input type="checkbox"/>	20000516	101	Optimal error-detecting, error-correcting and other coding and processing, particularly for bar codes, and applications therefor such as counterfeit detection	235/494	235/462.01
11	US 6058498 A	<input type="checkbox"/>	20000502	125	Dot code and information recording/reproducing system for recording/reproducing the same	714/752	369/14; 369/275.1
12	US 6052813 A	<input type="checkbox"/>	20000418	141	Dot code including a plurality of blocks wherein each of the blocks has a block address pattern representing an address of each of the blocks	714/752	369/275.3
13	US 5933478 A	<input type="checkbox"/>	19990803	49	Data transfer system and handheld terminal device used therefor	379/93.24	340/7.29; 379/100.08; 379/90.01; 379/93.23; 455/412
14	US 5896403 A	<input type="checkbox"/>	19990420	122	Dot code and information recording/reproducing system for recording/reproducing the same	714/752	369/14; 369/275.1
15	US 5881233 A	<input type="checkbox"/>	19990309	51	Facsimile mail apparatus	709/233	358/402; 358/440

	Document ID	1	Issue Date	Pages	Title	Current OR	Current XRef
16	US 5812697 A	<input type="checkbox"/>	19980922	40	Method and apparatus for recognizing hand-written characters using a weighting dictionary	382/186	
17	US 5777755 A	<input type="checkbox"/>	19980707	32	Information input device	358/444	358/404; 358/473; 358/474; 382/312; 382/313
18	US 5732222 A	<input type="checkbox"/>	19980324	76	Election terminal apparatus	705/12	235/51; 345/810
19	US 5732212 A	<input type="checkbox"/>	19980324	76	System and method for remote monitoring and operation of personal computers	709/224	709/217; 710/18
20	US 5644653 A	<input type="checkbox"/>	19970701	72	Information processing apparatus and control method thereof having user character recognition	382/187	708/141
21	US 5548110 A	<input type="checkbox"/>	19960820	100	Optical error-detecting, error-correcting and other coding and processing, particularly for bar codes, and applications therefor such as counterfeit detection	235/462.07	235/494
22	US 5497318 A	<input type="checkbox"/>	19960305	77	Election terminal apparatus	705/12	235/50A; 235/51
23	US 5065360 A	<input type="checkbox"/>	19911112	20	Portable data storage and editing device	708/142	
24	US 4631666 A	<input type="checkbox"/>	19861223	50	Data transfer network for variable protocol management	709/217	902/39

	Document ID	1	Issue Date	Pages	Title	Current OR	Current XRef
25	US 4514824 A	<input type="checkbox"/>	19850430	16	Byte-oriented line adapter system	375/222	
26	US 4494194 A	<input type="checkbox"/>	19850115	47	Line support processor for data transfer system	710/46	
27	US 4390964 A	<input type="checkbox"/>	19830628	47	Input/output subsystem using card reader-peripheral controller	710/74	902/39; 902/4

	Hits	L #	Search Text	Type
1	2	L1	5404458.pn.	BRS
2	3817	L2	touch adj2 pad	BRS
3	13684	L3	touch adj2 panel	BRS

	Hits	L #	Search Text	Type
4	12733	L4	touch adj2 screen	BRS
5	10592 0	L5	poll\$4	BRS
6	78355	L6	timer and count\$4	BRS

	Hits	L #	Search Text	Type
7	10720 7	L7	5 or 6 and (2 or 3 or 4)	BRS
8	17206	L8	character adj2 recognition	BRS
9	647	L9	text adj2 recognition	BRS

	Hits	L #	Search Text	Type
10	17611	L10	8 or 9	BRS
11	13162	L11	character adj code	BRS
12	494	L12	7 and 10	BRS

	Hits	L #	Search Text	Type
13	27	L13	11 and 12	BRS